Index to Volume 3

TITLES OF ARTICLES

A 'locate-and-select' touch screen *M.D. Apperley, R. Spence, H. Koanantakool* 131

A method of rotating areas on a raster scan graphic display *J.B. Hanson, P.J. Willis* 219

A microprocessor-based still frame capturing system *H. Farhangi, C. Daskalakis, A.G. Heaton* 212

Calculating the perceptibility of monochrome and colour displays viewed under various illumination conditions *J. Laycock, J.P. Viveash* 89

Designing readable scrolling displays *I.J. Elson* 155

Ergonomic parameters of word processors in use *D. Canter, I. Davies* 81

Evaluation of MTF and veiling glare characteristics for CRT displays *J.R. Banbury* 23

Evaluation of the perceptual attributes of emissive and non-emissive display designs using computer simulation *J. Laycock* 193

Hard copy output devices *H.F. de Groot* 147

Implementation of structured display files in interactive colour graphics *T.R.M.L. Andrade, C. Daskalakis* 33

New d c plasma display panels and their applications *Y. Amano, K. Yoshida, T. Shionoya, S. Yokono* 187

Operating characteristics and TV image display of a grid-controlled matrix fluorescent display panel *S.C. Ge* 207

Plasma display panels have come of age *C.M. Boardman, J. Deschamps* 135

Positive-mode dichroic LC display *C.S. Oh, G. Kramer* 30

Search method evaluation in the Dutch videotex system *A.G.M. Vrins, R.H. van Velthoven, J.L. Frankhuizen* 101

Telidon graphics and applications. *U.A. Tenne-Sens* 197

Transition metal oxide electrochromic materials and displays: a review. Part 1: oxides with cathodic coloration *W.C. Dautremont-Smith* 3

Transition metal oxide electrochromic materials and displays: a review. Part 2 : oxides with anodic coloration *W.C. Dautremont-Smith* 67

Use of microprocessors for the determination of electrochromic display device characteristics *M. Guignard, B. Carquille, C. Bohnke, O. Bohnke* 39

TECHNICAL NOTES

A battery-powered evaluator for flat panel LEF displays *M.P.R. Panicker, R.J. Bell, R.W. Watkins, W.F. Essinger* 107

LETTERS TO THE EDITOR

Comments on G. Roe: Displays for avionics *I.G. Bowkley, J.H. Wharf, R.N. Tyte* 110

Reply to comments on G. Roe: Displays for avionics *G. Roe* 111

AUTHORS OF ARTICLES, TECHNICAL NOTES AND LETTERS TO THE EDITOR

Y. Amano, K. Yoshida, T. Shionoya, S. Yokono New d c plasma display panels and their applications 187

T.R.M.L. Andrade, C. Daskalakis Implementation of structured display files in interactive colour graphics 33

M.D. Apperley, R. Spence, H. Koanantakool A 'locate-and-select' touch screen 131

J.R. Banbury Evaluation of MTF and veiling glare characteristics for CRT displays 23

R.J. Bell, R.W. Watkins, W.F. Essinger, M.P.R. Panicker A battery-powered evaluator for flat panel LEF displays 107

C.M. Boardman, J. Deschamps Plasma display panels have come of age 135

C. Bohnke, O. Bohnke, M. Guignard, B. Carquille Use of microprocessors for the determination of electrochromic display device characteristics 39

O. Bohnke, M. Guignard, B. Carquille, C. Bohnke Use of microprocessors for the determination of electrochromic display device characteristics 39

I.G. Bowkley, J.H. Wharf, R.N. Tyte Comments on G. Roe: Displays for avionics 110

D. Canter, I. Davies Ergonomic parameters of word processors in use 81

B. Carquille, C. Bohnke, O. Bohnke, M. Guignard Use of microprocessors for the determination of electrochromic display device characteristics 39

C. Daskalakis, T.R.M.L. Andrade Implementation of structured display files in interactive colour graphics 33

C. Daskalakis, A.G. Heaton, H. Farhangi A microprocessor-based still frame capturing system 212

W.C. Dautremont-Smith Transition metal oxide electrochromic materials and displays: a review. Part 1: oxides with cathodic coloration 3

W.C. Dautremont-Smith Transition metal oxide electrochromic materials and displays: a review. Part 2: oxides with anodic coloration 67

I. Davies, D. Canter Ergonomic parameters of word processors in use 81

J. Deschamps, C.M. Boardman Plasma display panels have come of age 135

I.J. Elson Designing readable scrolling displays 155

W.F. Essinger, M.P.R. Panicker, R.J. Bell, R.W. Watkins A battery-powered evaluator for flat panel LEF displays 107

H. Farhangi, C. Daskalakis, A.G. Heaton A microprocessor-based still frame capturing system 212

J.L. Frankhuizen, A.G.M. Vrins, R.H. van Velthoven Search method evaluation in the Dutch videotex system 101

S.C. Ge Operating characteristics and TV image display of a grid-controlled matrix fluorescent display panel 207

H.F. de Groot Hard copy output devices 147

M. Guignard, B. Carquille, C. Bohnke, O. Bohnke Use of microprocessors for the determination of electrochromic display device characteristics 39

J.B. Hanson, P.J. Willis A method of rotating areas on a raster scan graphic display 219

Index to Volume 3

TITLES OF ARTICLES

A 'locate-and-select' touch screen *M.D. Apperley, R. Spence, H. Koanantakool* 131

A method of rotating areas on a raster scan graphic display *J.B. Hanson, P.J. Willis* 219

A microprocessor-based still frame capturing system *H. Farhangi, C. Daskalakis, A.G. Heaton* 212

Calculating the perceptibility of monochrome and colour displays viewed under various illumination conditions *J. Laycock, J.P. Viveash* 89

Designing readable scrolling displays *I.J. Elson* 155

Ergonomic parameters of word processors in use *D. Canter, I. Davies* 81

Evaluation of MTF and veiling glare characteristics for CRT displays *J.R. Banbury* 23

Evaluation of the perceptual attributes of emissive and non-emissive display designs using computer simulation *J. Laycock* 193

Hard copy output devices *H.F. de Groot* 147

Implementation of structured display files in interactive colour graphics *T.R.M.L. Andrade, C. Daskalakis* 33

New d c plasma display panels and their applications *Y. Amano, K. Yoshida, T. Shionoya, S. Yokono* 187

Operating characteristics and TV image display of a grid-controlled matrix fluorescent display panel *S.C. Ge* 207

Plasma display panels have come of age *C.M. Boardman, J. Deschamps* 135

Positive-mode dichroic LC display *C.S. Oh, G. Kramer* 30

Search method evaluation in the Dutch videotex system *A.G.M. Vrins, R.H. van Velthoven, J.L. Frankhuizen* 101

Telidon graphics and applications. *U.A. Tenne-Sens* 197

Transition metal oxide electrochromic materials and displays: a review. Part 1: oxides with cathodic coloration *W.C. Dautremont-Smith* 3

Transition metal oxide electrochromic materials and displays: a review. Part 2 : oxides with anodic coloration *W.C. Dautremont-Smith* 67

Use of microprocessors for the determination of electrochromic display device characteristics *M. Guignard, B. Carquille, C. Bohnke, O. Bohnke* 39

TECHNICAL NOTES

A battery-powered evaluator for flat panel LEF displays *M.P.R. Panicker, R.J. Bell, R.W. Watkins, W.F. Essinger* 107

LETTERS TO THE EDITOR

Comments on G. Roe: Displays for avionics *I.G. Bowkley, J.H. Wharf, R.N. Tyte* 110

Reply to comments on G. Roe: Displays for avionics *G. Roe* 111

AUTHORS OF ARTICLES, TECHNICAL NOTES AND LETTERS TO THE EDITOR

Y. Amano, K. Yoshida, T. Shionoya, S. Yokono New d c plasma display panels and their applications 187

T.R.M.L. Andrade, C. Daskalakis Implementation of structured display files in interactive colour graphics 33

M.D. Apperley, R. Spence, H. Koanantakool A 'locate-and-select' touch screen 131

J.R. Banbury Evaluation of MTF and veiling glare characteristics for CRT displays 23

R.J. Bell, R.W. Watkins, W.F. Essinger, M.P.R. Panicker A battery-powered evaluator for flat panel LEF displays 107

C.M. Boardman, J. Deschamps Plasma display panels have come of age 135

C. Bohnke, O. Bohnke, M. Guignard, B. Carquille Use of microprocessors for the determination of electrochromic display device characteristics 39

O. Bohnke, M. Guignard, B. Carquille, C. Bohnke Use of microprocessors for the determination of electrochromic display device characteristics 39

I.G. Bowkley, J.H. Wharf, R.N. Tyte Comments on G. Roe: Displays for avionics 110

D. Canter, I. Davies Ergonomic parameters of word processors in use 81

B. Carquille, C. Bohnke, O. Bohnke, M. Guignard Use of microprocessors for the determination of electrochromic display device characteristics 39

C. Daskalakis, T.R.M.L. Andrade Implementation of structured display files in interactive colour graphics 33

C. Daskalakis, A.G. Heaton, H. Farhangi A microprocessor-based still frame capturing system 212

W.C. Dautremont-Smith Transition metal oxide electrochromic materials and displays: a review. Part 1: oxides with cathodic coloration 3

W.C. Dautremont-Smith Transition metal oxide electrochromic materials and displays: a review. Part 2: oxides with anodic coloration 67

I. Davies, D. Canter Ergonomic parameters of word processors in use 81

J. Deschamps, C.M. Boardman Plasma display panels have come of age 135

I.J. Elson Designing readable scrolling displays 155

W.F. Essinger, M.P.R. Panicker, R.J. Bell, R.W. Watkins A battery-powered evaluator for flat panel LEF displays 107

H. Farhangi, C. Daskalakis, A.G. Heaton A microprocessor-based still frame capturing system 212

J.L. Frankhuizen, A.G.M. Vrins, R.H. van Velthoven Search method evaluation in the Dutch videotex system 101

S.C. Ge Operating characteristics and TV image display of a grid-controlled matrix fluorescent display panel 207

H.F. de Groot Hard copy output devices 147

M. Guignard, B. Carquille, C. Bohnke, O. Bohnke Use of microprocessors for the determination of electrochromic display device characteristics 39

J.B. Hanson, P.J. Willis A method of rotating areas on a raster scan graphic display 219

A.G. Heaton, H. Farhangi, C. Daskalakis A microprocessor-based still frame capturing system 212
H. Koanantakool, M.D. Apperley, R. Spence A 'locate-and-select' touch screen 131
G. Kramer, C.S. Oh Positive-mode dichroic LC display 30
J. Laycock Evaluation of the perceptual attributes of emissive and non-emissive display designs using computer simulation 193
J. Laycock, J.P. Viveash Calculating the perceptibility of monochrome and colour displays viewed under various illumination conditions 89
C.S. Oh, G. Kramer Positive-mode dichroic LC display 30
M.P.R. Panicker, R.J. Bell, R.W. Watkins, W.F. Essinger A battery-powered evaluator for flat panel LEF displays 107
G. Roe Reply to comments on G. Roe: Displays for avionics 111
T. Shionoya, S. Yokono, Y. Amano, K. Yoshida New d c plasma display panels and their applications 187
R. Spence, H. Koanantakool, M.D. Apperley A 'locate-and-select touch screen 131
U.A. Tenne-Sens Telidon graphics and applications 197
R.N. Tyte, I.G. Bowkley, J.H. Wharf Comments on G. Roe: Displays for avionics 110
R.H. van Velthoven, J.L. Frankhuizen, A.G.M. Vrins Search method evaluation in the Dutch videotex system 101
J.P. Viveash, J. Laycock Calculating the perceptibility of monochrome and colour displays viewed under various illumination conditions 89
A.G.M. Vrins, R.H. van Velthoven, J.L. Frankhuizen Search method evaluation in the Dutch videotex system 101
R.W. Watkins, W.F. Essinger, M.P.R. Panicker, R.J. Bell A battery-powered evaluator for flat panel LEF displays 107
J.H. Wharf, R.N. Tyte, I.G. Bowkley Comments on G. Roe: Displays for avionics 110
P.J. Willis, J.B. Hanson A method of rotating areas on a raster scan graphic display 219
S. Yokono, Y. Amano, K. Yoshida, T. Shionoya New d c plasma display panels and their applications 187
K. Yoshida, T. Shionoya, S. Yokono, Y. Amano New d c plasma display panels and their applications 187

NEWS

A4 size tube, 167
Add-on electronic dashboard, 168
Automatic CRT measurement, 169
Bar graph display with 101 elements, 164
Better viewability, 118
Blue LED competitive, 164
Bomber display contract, 161
Bus connection to LCDs, 226
Business graphics attachment, 116
Camera without film, 117
Case for viewdata, 166
Ceramic microminiature LEDs, 231
Clip mounting LEDs, 231
Colour CRT flight system, 47
Colour radar sale, 160
Combined meter, 165
Computer graphics directory, 224
Contour software, 232
CRTs from Japan, 54
Curves compress data, 166
Custom design for EL backlights, 230
Data terminal with colour, 119
Designer colours, 53
Desk-top trainer, 114
Diffractive head-up data success, 230
Digital display module, 53
Digital TV standard, 52
Displays consultancy set up, 223
Display tubes, 167
Double features, 119
Draughting system, 55
Election results displayed, 227
Emissive drum, 115
Equation processing, 224
Eye fatigue leads complaints, 163
First fighter colour display, 225
Five times brighter, 168
Flat panels begin to compete, 112
Flexible colour display, 116
Flight data in the home, 227
Flight systems take off, 163
Flying spot driver, 169
Fund for CAD development, 50
Graphics and drivers, 168
Graphics board, 119
Graphics controller board, 231
Graphics price cuts, 233
Greater CRT sensitivity, 232
Hazard literature reviewed, 51
Helicopter avionics, 49
Hidden-line problem solved, 52
High resolution CRT, 118
High resolution tubes for UK, 231
High voltage driver, 169
High volume graphics, 166
Holographic head-up module, 115
Human aspects course, 116
Hybrid displays chosen, 226
Information technology 82, 50
Infra-red to green LEDs, 117
Japanese displays line-up, 171
Keyboards add to discomfort, 113
Lamp packaging for LEDs, 167
Large LCD modules, 50
Laser writes fast onto LCDs, 162
LCD graphics module, 119
LCDs backlit by EL, 54
Liquid crystal VDU, 46
Low complexity terminal, 169
Low glare screens, 118
Low temperature LCDs, 165
Luminous colour change, 49
Metre diagonal flat display, 162
Monitor with *z*-axis input, 167
More scope with liquid crystals, 158
More significant growth, 224
Multicolour CRT cockpit, 114
On-board logic, 119
Optoelectronics buoyant, 165
Page costs cut, 115
Passive acquisition, 119
Pen and paper move, 169
Phone display for the deaf, 52
Pictures framed, 117
Plasma a c and d c benefits, 53
Plasma character, 167
Prestel doomed?, 229
Programmable display generator, 229
Projection still on top, 225
Proof reading, 113
Queen's Awards for map display, 164
Radar simulator, 114
Right-angle display tubes, 53
Screen for mobile imaging, 168
Shared visual space, 118
Six-in-one terminal, 48
Smallest colour CRT, 162
Smoked lens LEDs, 54
Sonar display for Royal Navy, 226
Squarer and flatter, 169
Stadium display, 118
Sub-miniature LED arrays, 232
Sulphur isolation for LCDs, 233
Telephone VDU, 117
Teletext grows in US, 230
Telidon for micros, 233
Test contract for flat CRT, 161
Touch panel for CRTs, 51
UK answers US VDU survey, 47
User-programmable display, 54
Variable height LEDs, 54
VDU fatigue findings, 46
Video image processing, 228
Videotex around the world, 44

Literature

Adjustable viewing, 121
Blue shift for LC dyes, 234
Colour contrast estimation, 121
Colour contrast pilot tests, 235
Display for simulation, 120
ECD electrolyte survey, 234
EL from sputtered ZnO, 121
Geiger-Müller display, 235
Japanese displays line-up, 171
Laser probes LC phase changes, 234
LC dye stability measure, 235
LED quality linked to Li, 171
Low voltage discharge display, 235
Matrix holds LC material, 121
Memory light valve, 234
Moving LEDs assessed, 120
One third complains, 120
Retinal stimulation by LED, 171
Science database for all?, 171
Support for EL memory model, 171

Patents

Alignment layer composition, 237
Attitude display, 172
Beam guide for flat TV, 236
Capacitance compensation, 122
Car data display update, 236
Clearer symbols, 122
Colour copy first time around, 237
Dummies maintain colour, 172
Eight-segment Arabic numerals, 172
EL memory lost, 122
Higher discharge luminance, 122
Higher order dyes, 236
Keyboard doubles up on screen, 000
Liquid crystal telecopier, 172
More on display, 237
Oblique backlit large screen, 236
Photopolymerizable sealant, 122
Polysilicon LCD, 173
Positive or negative display, 122
Shadow lost by index matching, 172
Terminal guesses ahead, 237
VFD drive needs fewer leads, 236
Vibratory scan display, 172
Video game LC projection, 236

CONFERENCES

CAD '82 (30 March–1 April 1982), 239
Computer graphics '82 (27–29 October 1981), 56
Computer simulation systems for image processing (2 October 1981), 59
Electronic displays '81 (23–25 September 1981), 123
Ergonomics Society annual conference (29 March–1 April 1982), 176
Eurographics '81 (9–11 September 1981), 57
Human factors in computer systems (15–17 March 1982), 178
International conference on man-machine systems (6–9 July 1982), 240
Light measurement '81 (8–9 September 1981), 59
NCGA annual conference (14–17 June 1982), 238
Peripherals '82 (31 March–2 April 1982), 179
SAE international congress (22–26 February 1982), 175
Seminex '82 (29 March–2 April 1982), 178
The design of displays and terminals for the working environment (5 May 1982), 241

BOOK REVIEWS

Handbook of screen format design *W.O. Galitz* (reviewed by T.F.M. Stewart), 181
Harvard library of computer graphics 1979 mapping collection, Volumes 4–6 (reviewed by D.J. Grover), 62
Human factors in office automation *W.O. Galitz* (reviewed by T.F.M. Stewart), 181
Introduction to interactive computer graphics *J.E. Scott* (reviewed by D.J. Grover), 243
Man-machine communication in CAD/CAM *edited by T. Sata, E.A. Warman* (reviewed by D.J. Grover), 126
Potential health hazards of video display terminals (reviewed by V.D. Hopkin), 61
The electronic merging of text and tone *H.L. Holloway* (reviewed by D.E.M. Adsett), 61